

DAILY TRAILER CHECKS

Reference:

A. Tip Toe Road Book – Cape to Cape

INTRODUCTION

This document provides a checklist for daily trailer checks – known as first parade checks in the Military.

Scope

The list below assumes the use of a Camper Trailer. It is an aide-mémoire and not exhaustive. It should be amended to take into account additional loads being carried on the trailer.

Purpose

To ensure that trailers and associated loads are fully operative, secure, ready for the days activities and onboard batteries are set to charge directly from the vehicles. These checks should be completed after Camp has been struck, trailers loaded and before driving away from the Camp Site / RON Stop.

TRAILER CHECK LIST - DAILY

Tow Ball and Hitch	Greased and has full movement, connected and locked.
	 Coupling height is correct
	 The 7 or 13 core cable and plug is connected and not
	damaged
	The Andersen Plug is connected (if fitted).
Jockey wheel	Stowed and secure
Hand Brake	• Off
Breakaway chains /	Are not damaged
cables	There is enough slack so that they do not accidentally apply
	the brakes
	• The cable and / or chains will not drag on the ground when
	driving
	Are properly secured to the vehicle
Emergency brake	Not damaged
wire	Properly connected to the vehicle
Power and service	Connected and secure

Daily Trailer Checks © Tip Toe October 2019



TRAILER CHECK LIST - DAILY

cables	 Not dragging – no excessive trailing cable but sufficient to allow full articulation over the expected terrain.
Taii / Tailboard Lighting	 Operable and damage free Indicators and hazard warning lights Brake lights Reversing light Vehicle running lights Reflectors Stone guards present and secure
Levelling equipment	 Secure and / or reset to ensure trailer is level when being towed.
Recovery	 Check recovery eyes and shackles for damage Recovery gear present and correct
Electrics	Internal electrics all shut offTrailer set to charge from the vehicle
Doors and hatches	Closed and secureAll doors and latchesLocked
Awning	Secure
Trailer top load	Secure
Gas	 Cylinders upright and switched off Tied down / secure Rattle free
Spare fuel / water	Secure
Suspension	Shocks and gas struts serviceable
Wheels and Tyres	 Do not have cuts or bulges Are inflated to the manufacturers specification for the load being carried or deflated to the chosen pressure for use in mud or sand. Check each tyre has a tread depth of at least 1.6mm across the central three-quarters of the breadth of the tread around the entire circumference of the tyre Check that the wheel nuts and bolts are tightened to the correct torque.
	Check that mudguards and mud flaps are fitted to the trailer and they're secure.



TRAILER CHECK LIST - DAILY

	Spare wheel(s) serviceable and swing arm locked
Registration Number	Vehicle registration number displayed
	Matches the towing vehicle
	Number plate light is operable